



SPECIALIZED IN ROPE NETTING DEVELOPMENT, PRODUCTION & CUSTOMIZATION





Anping Yeqin Knitted Net Co., Ltd was established in 2013 in Anping county, the hometown of wire mesh. It is a high tech enterprise integrating design, R&D, production and sales of rope netting. Over years of development, Yeqin Knitted Net has become a leading rope netting solution expert in agriculture, sports, leisure and construction fields.

Our rope netting features good flexibility, easy to operate and high adaptability to harsh environments. It has excellent high temperature resistance, and is not easy to deform. Besides, it has low extensibility and can be tensioned for a long time; It also has a beautiful appearance and will not rust. At the same time, we actively take part in rope netting material development to improve the elasticity, toughness, stability, environmental protection, safety, reliability and durability of the rope netting.

CONTENTS

Rope	Netting	05
------	---------	----

Application

Sports Nets	06
Agricultural Nets	28
Leisure Nets	48
Construction Nets	52

Made-to-Order.....54








Rope netting is a common, extremely versatile product. It is made of PP, PET, PA and other material strings or strands through the process of braiding, twisting and knotting. It is mainly divided into knotted netting and knotless netting and is mainly used as agricultural hail nets, bird nets, sports goal nets, purse seines, construction safety nets and leisure sun shade sails, etc.

Knotless Netting

Knottless netting is a net fabric without knots made of PE, PP, PA, PET materials through warp knitting, leno weaving and other process.

The most biggest feature of knotless netting is its knotless design, which makes the net surface flatter, softer and lighter. It is suitable for agriculture, fishery and other fields to effectively prevent damage to fish and crops.

In addition, knotless netting is often used as sports goal nets to facilitate the ruling of goals to avoid disputes. It can also be used as sports field fencing to prevent the balls from entering the audience and protect the audience from injury; at the same time, it can also keep the balls from running too far away and facilitate the recovery of the balls.






Knotted Netting

Knotted netting is a net fabric made of knotted PE and PA yarns or strands. It generally has large mesh openings, so it also be used as bird nets to protect crops from birds without harming them.

The knotted structure gives the net a high fracture strength and can withstand large impact forces. So it can be used in a variety of high-speed running ball games or heavy ball games, such as baseball batting cage nets, football goal nets, hammer and discus cage nets, etc. Due to its features, it can effectively dissolve the high-intensity impact of the above balls.








FEATURES

- Football diameter ranges from 210 mm to 220 mm and 145 mm mesh size can intercept the football easily;
- We also have football goal net with 50 mm mesh size to prevent small objects coming from the spectators and protect the safety of the goalkeeper;
- Our football goal nets have excellent corrosion resistance, wear resistance, UV resistance and rainproof performance and enjoy a long lifespan;
- The rope edges are enveloped to make the net surface have higher tear resistance and impact resistance.



3-A-Side Optional Football Net

■ Goal size: 1.2 × 0.8 m

PP knotless football net, diamond mesh. Goal size: 1.2 m in length and 0.8 m in height.

The upper width and lower width can be customized according to customer requirements.

Model	Thread Diameter	Mesh Size	Color (Customized)
WF-T1	3 mm	50 mm	0 • • •
WF-T2	3 mm	100 mm	




5-A-Side Optional Football Net

■ Goal size: 3 × 2 m

PP knotless football net, diamond mesh. Goal size: 3 m in length and 2 m in height.

The upper width and lower width can be customized according to customer requirements.

ı	Model	Thread Diameter	Mesh Size	Color (Customized)
	WF-F1	3 mm	100 mm	0 • • •
	WF-F2	4 mm	100 mm	




7-A-Side Optional Football Net

■ Goal size: 5 × 2 m

Diamond mesh, goal size: 5.15 m in length and 2.05 m in height.

The upper width and lower width can be customized according to customer requirements.



Model	Net Type	Material	Thread Diameter	Mesh Size	Color (Customized)
WF-S1	Knotless netting	PP	3 mm	120 mm	Single color
YF-S2	Knotted netting	PE	3 mm	145 mm	○ ● ● ● Double color
WF-S3	Knotless netting	PP	4 mm	120 mm	

11-A-Side Optional Football Net

■ Goal size: 7.22 × 2.44 m

Standard 11-a-side goal size: 7.5 m in length and 2.5 m in height.

The upper width and lower width can be customized according to 7.22 m customer requirements.

2.44 m

et Type	Material	Thread Diameter	Mesh Size	N
ed netting	PE	2.5 mm	145 mm	
ess netting	PP	3 mm	120 mm	

Model	Net Type	iviateriai	Thread Diameter	1016311 0126	IVICSIT OF APE	Color (Castornizea)
YF-E1	Knotted netting	PE	2.5 mm	145 mm	Diamond	
WF-E2	Knotless netting	PP	3 mm	120 mm	Diamond	Single color
WF-E3	Knotless netting	PET	3 mm	120 mm	Diamond	$\circ \bullet \bullet \bullet$
YF-E4	Knotted netting	PE	3 mm	145 mm	Diamond	
WF-E5	Knotless netting	PP	4 mm	120 mm	Diamond	
WF-E6	Knotless netting	PET	4 mm	120 mm	Diamond	Single color
WF-E7	Knotless netting	PP	4.5 mm	50 mm	Hexagon	○ ● ● ● Double color
WF-E8	Knotless netting	PET	4.5 mm	50 mm	Hexagon	
WF-E9	Knotless netting	PP	4.5 mm	120 mm	Hexagon	
WF-E10	Knotless netting	PET	4.5 mm	120 mm	Hexagon	

■ Goal size: 6 × 2.1 m

PP knotless football net, diamond mesh,

youth 11-a-side goal net: 6.15 m in length and 2.15 m in height.

The upper width and lower width can be customized according to customer requirements.

6 m 2.1 m

Model	Thread Diameter	Mesh Size	Color (Customized)
WF-E11	3 mm	120 mm	Single color ○ ● ●
WF-E12	4 mm	120 mm	Double color



Net clips, UPVC fast clips



Anchor pegs, steel U-peg goal anchors



Arrow net hooks for steel goals



Fully enclosed net hooks



Quick-release goal net ties, football net velcro



Self locking nylon cable tie



Goal net clips, football net clips



Ball bungees






In addition, its double braided structure offers higher impact resistance and makes it more suitable for all kinds of fields and conditions.



FEATURES


- The double-layer braided net of the first 6 rows offers better protection and higher impact resistance than single-layer braided net;
- The raw materials have excellent anti-UV performance and corrosion resistance, so our tennis net can withstand be exposed to sunlight and not affected by harsh weather conditions;
- The outlines are reinforced to make the net surface more resilient and can effectively prevent the net being worn and damaged, offering a long lifespan;
- PE and PP have excellent wear resistance;
- Center strap ensures that the tennis net is always kept at the same height and offers additional stability.
 Besides, it also offers additional protection for tennis nets under extreme weather conditions.



Tennis Net for Doubles


At the top of tennis net for doubles is a vinylcoated polyester headband equipped with steel cables and tie ropes. The other three edges are fixed with PVC band for reinforcement.

The center strap is connected with ground anchors for fixing the central position. Net size: 12.8 m in width and 1.07 m in height.



Model	Net Type	Material	Thread Diameter	Mesh Size	Mesh Shape	Color	Remarks
YT-1	Knotted netting	PE	3 mm	45 mm	Diamond	•	The first 6 rows can be double-layered braided net.
WT-2	Knotless netting	PP	4 mm	42 mm	Diamond	•	


Tennis Net for Singles



PP knotless tennis net for singles, diamond mesh, black. At the top of tennis net is a vinyl-coated PET headband equipped with steel cables and tie ropes.

The other three edges are fixed with PVC band for reinforcement. The center strap is connected with ground anchors for fixing the central position. Net size: 10.058 m in width and 1.07 m in height.

Model	Thread Diameter	Mesh Size
WT-3	3 mm	42 mm



Centre strap



Tennis net center strap base weight



Eye bolt centre strap anchor



Sports Nets // Volleyball Nets

Our volleyball nets are made of PE and PP with excellent wear resistance, good resilience, high tension and great elasticity, and can effectively cushion the impact of volleyball on the net.


Besides, it also has good corrosion resistance and anti-UV stability and can be used outdoors for a long time.






FEATURES


- New PE and PP materials are used for knitting, offering good surface tension, good elasticity, high impact resistance and a long lifespan;
- Great wear resistance and good resilience;
- Machine edge overlocking and not easy to loose thread in the long term use.



Beach Volleyball Net



FIVB Competition Volleyball Net



PP knotted net, diamond mesh, black; net size: 9.5 m in length, 1 m in height.

Model	Thread Diameter	Mesh Size	Band Color
WV-1	3 mm	100 mm	\circ •



Cable extension



Steel cable



Volleyball net antennas, Volleyball net antennas volleyball net marker tape





Our basketball nets are made of high quality nylon and polyester (PET) with excellent corrosion resistance, UV resistance, rainproof and wear resistance, and are suitable for long-term tearing and hanging.




Long service life.

Our basketball nets are made of high quality nylon and (PET) with excellent UV resistance, rainproof and corrosion resistance. They are suitable for both indoor and outdoor basketball hoops and can withstand any type of weather conditions and constant pulling and hanging that comes with regular play.


Easy to install.

12 loops make it easy to install and replace basketball nets on any basketball hoop of standard size, it only takes minutes to finish the installation.



Basketball net 12-loop, 7-knot, 53.34 cm (21 inches) and suitable for all standard model basket hoops.

Color available: single color: white; double color: white & red; Three colors: white, red and blue for your option.



Model	Net Type	Material	Thread Diameter
YL-1	Knotted netting	Nylon	4 mm
YL-2	Knotted netting	PET	4 mm
YL-4	Knotted netting	Nylon	5 mm
YL-3	Knotted netting	PET	5 mm
YL-5	Knotted netting	Nylon	6 mm
YL-6	Knotted netting	PET	6 mm









• Nylon material makes it have better wear resistance;

to meet your long-term needs.

- Warp knitted knotless net is beautiful and portable;
- All covered edges, steel cable, nylon tension rope and heavy duty grommet make the badminton net quality assured;
- Standard 1.8 × 1.8 cm mesh size will not catch the badminton on the net, allowing players to play easily;
- 3.1 m, 4.1 m, 5.1 m, 6.1 m and other sizes for your option.






Leisure Type Badminton Nets

Net size: 1 mm thread diameter, mesh size: 1.8×1.8 cm.


Nylon knotless netting is adopted with nylon pull rope at the top and nylon fabric covered edges.




Model	Length	Height	Weight	Tension Rope at the Top
WY-1	3.1 m	0.76 m	260 g	6.1 m
WY-2	4.1 m	0.76 m	310 g	6.65 m
WY-3	5.1 m	0.76 m	360 g	7.15 m

Professional Type Badminton Nets

Net size: 6.1 m in length, 0.76 m in height, mesh size: $1.8 \times 1.8 \text{ cm}$.



Model	Net Type	Material	Thread Diameter	Weight	Tension Rope Material	Tension Rope Size	Edging
WY-4	Knotless netting	Nylon	1 mm	410 g	Nylon cord	8.2 m	Top: nylon fabric covered
WY-5	Knotless netting	Nylon	1.2 mm	470 g	Nylon cord	8.2 m	Top: nylon fabric covered
WY-6	Knotless netting	High strength nylon	1 mm	620 g	Nylon cord	9.0 m	4 edges: nylon fabric covered
WY-7	Knotless netting	High strength nylon	1.2 mm	980 g	Steel cable + nylon cord	9.0 m	4 edges: nylon fabric covered



Our baseball cage nets are made of UV resistant PA and PE materials with good wear resistance and corrosion resistance. Its knotted structure makes the net surface more elastic.

In addition, the nylon cord edges makes the baseball cage net rigid, durable and easy to install.





- Nylon and PE material offer good wear resistance and corrosion resistance;
- UV resistant, sun and rain resistant, long service life;
- Rope reinforced edges make the whole net have higher impact resistance, tear resistance and easy to install;
- Knotted structure make the net more elastic and can withstand high speed impact, firm and durable.

Baseball Cage Nets


Baseball cage net: diamond mesh, black knotted netting.

Can be customized based on the customer's frame size.





Model	Material	Thread Diameter	Mesh Size
YB-1	Nylon	1.5 mm	48 mm
YB-2	Nylon	2.1 mm	48 mm
YB-3	Nylon	2.3 mm	48 mm
YB-4	PE	2.3 mm	38 mm
YB-5	PE	2.3 mm	45 mm
YB-6	PE	2.5 mm	38 mm
YB-7	PE	2.5 mm	45 mm
YB-8	PE	3 mm	45 mm
YB-9	Nylon	3 mm	48 mm
YB-10	PE	3 mm	38 mm








Open type installation



Carabiner zinc snap clips



Net hanger looping



- The golf net edges are heat treated, which makes it have better wear resistance and higher impact resistance;
- The net surface is flat and soft and can effectively offset the impact of golf at high speed.



easy to install.







Frame type Plane type

smooth and has high impact

resistance; Besides, the heat

surface firmer, more durable and

treated edges make the net

Arch type

Sitting type

Knotted Golf Nets

Knotted golf net, PE and nylon materials available, black, white and green options, diamond mesh.



Model	Material	Thread Diameter	Mesh Size
YG-1			15 mm
YG-2		2.3 mm	20 mm
YG-3			22 mm
YG-4			15 mm
YG-5	PE	2.5 mm	20 mm
YG-6			22 mm
YG-7			15 mm
YG-8		3 mm	20 mm
YG-9			22 mm
YG-10			15 mm
YG-11		2.3 mm	20 mm
YG-12			22 mm
YG-13			15 mm
YG-14	Nylon	2.5 mm	20 mm
YG-15			22 mm
YG-16			15 mm
YG-17		3 mm	20 mm
YG-18			22 mm



Knotless Golf Nets

Knotless golf nets, PP, nylon and PET materials available, black, white and green options, diamond mesh.




Model	Material	Thread Diameter	Mesh Size
WG-1			15 mm
WG-2		2.3 mm	20 mm
WG-3			22 mm
WG-4			15 mm
WG-5	PP	2.5 mm	20 mm
WG-6			22 mm
WG-7			15 mm
WG-8		3 mm	20 mm
WG-9			22 mm
WG-10			15 mm
WG-11		2.3 mm	20 mm
WG-12			22 mm
WG-13			15 mm
WG-14	Nylon	2.5 mm	20 mm
WG-15			22 mm
WG-16			15 mm
WG-17		3 mm	20 mm
WG-18			22 mm
WG-19			15 mm
WG-20		2.3 mm	20 mm
WG-21			22 mm
WG-22			15 mm
WG-23	PET	2.5 mm	20 mm
WG-24			22 mm
WG-25			15 mm
WG-26		3 mm	20 mm
WG-27			22 mm





Carabiner zinc snap clips



Ball bungees



Self locking nylon cable tie



S hook



Our hockey nets are made of PE and PP materials with excellent wear resistance, corrosion resistance, anti-aging performance and exceptional durability.

The net surface is flat and soft and has high impact resistance and can effectively neutralize the hockey ball at high speed. In addition, our product is also added with UV resistant agent and is suitable for both indoors and outdoors.




- Soft, flat net surface offers good impact resistance;
- UV resistant and corrosion resistant, suitable for various environments;
- Good wear resistance and exceptional durability;
- Wind and rain proof, anti-aging.


Hockey Nets

Hockey nets, PP knotless netting and PE knotted netting available, diamond mesh;

Color options: green, white, blue, yellow, black, red, etc.








Model	Material	Thread Diameter	Mesh Size
WQ-1		3 mm	25 mm
WQ-2		3 mm	38 mm
WQ-3	PP	3 mm	45 mm
WQ-4	PP	4 mm	25 mm
WQ-5		4 mm	38 mm
WQ-6		4 mm	45 mm
YQ-1		3 mm	25 mm
YQ-2		3 mm	38 mm
YQ-3	DE	3 mm	45 mm
YQ-4	PE	4 mm	25 mm
YQ-5		4 mm	38 mm
YQ-6		4 mm	45 mm



Matched ropes (the same rope used in hockey net)



Self locking nylon cable tie



Our hammer-discus cage nets are made of UV-resistant PA and PP materials with good wear resistance, high tensile strength and high impact resistance. Our products meet and even exceed IAAF and NCAA regulations and rules.





FEATURES

- 40 mm 45 mm mesh size ensures the safety while allowing the wind to pass through and making the net surface more stable;
- Edges are provided with 8 mm rope band to improve the tear resistance and impact resistance of the net surface, making the net surface more solid and durable;
- Our hammer-discus cage net are wear resistant, corrosion resistant, UV resistant, rainproof and durable;
- Made of nylon and PP materials, it is UV resistant, toxic-free and can be used both indoors and outdoors.

Hammer-discus cage nets

Hammer-discus cage nets, diamond mesh, green, black and other color options.





Model	Net Type	Material	Thread Diameter	Mesh Size
YH-1	Knotted netting	Nylon	2.5 mm	44 mm
YH-2	Knotted netting	Nylon	4 mm	44 mm
WH-1	Knotless netting	PP	5 mm	40 mm
WH-2	Knotless netting	PP	5 mm	45 mm







Carabiner zinc snap clips, zinc plated spring snap clips



Nylon cord



Our sports perimeter nets are made of PE & PP materials with flat net surface, good tension, not easy to deform and excellent ball impact resistance.

In addition, our products also have good wear resistance, corrosion resistance and easy to install features. The bottom edge lining covers a thin lead sheet to lower the net and ensure the balls will be kept in the net.





FEATURES

- Flat net surface, good tension and can resist all kinds of ball impacts;
- Wear resistant, impact resistant, collision resistant and will not deform under all kinds of ball impacts;
- UV resistant, rainproof and long lifespan;
- Good corrosion resistant, toxic-free and can be used for both indoors and outdoors;
- The net surface is light, soft and edges are provided with bands to make installation easier.

PE Knotted Netting

PE knotted netting, diamond mesh, color options: white, black, green, light brown, yellow, blue, red, etc. Sizes can be customized upon request.



Model	Thread Diameter	Mesh Size
YS-1	1.2 mm	20 mm
YS-2	1.8 mm	20 mm
YS-3	2.5 mm	25 mm
YS-4	2.5 mm	30 mm
YS-5	2.5 mm	40 mm
YS-6	2.5 mm	45 mm
YS-7	2.5 mm	50 mm
YS-8	3 mm	30 mm
YS-9	3 mm	40 mm
YS-10	3 mm	50 mm
YS-11	3 mm	100 mm
YS-12	3 mm	120 mm
YS-13	4 mm	40 mm
YS-14	4 mm	50 mm
YS-15	4 mm	100 mm
YS-16	4 mm	120 mm



PP Knotless Netting

PP knotless netting, diamond mesh, color options: white, black, green, light brown, yellow, blue, red, etc. Sizes can be customized upon request.



Model	Thread Diameter	Mesh Size
WS-1	2 mm	20 mm
WS-2	2 mm	30 mm
WS-3	2 mm	40 mm
WS-4	2.5 mm	25 mm
WS-5	2.5 mm	30 mm
WS-6	2.5 mm	40 mm
WS-7	2.5 mm	45 mm
WS-8	2.5 mm	50 mm
WS-9	3 mm	30 mm
WS-10	3 mm	40 mm
WS-11	3 mm	50 mm
WS-12	3 mm	100 mm
WS-13	3 mm	120 mm
WS-14	4 mm	40 mm
WS-15	4 mm	50 mm
WS-16	4 mm	100 mm
WS-17	4 mm	120 mm
WS-18	5 mm	45 mm
WS-19	5 mm	60 mm
WS-20	5 mm	100 mm





Carabiner zinc snap clips, zinc plated spring snap clips




The net surface has good elasticity and can effectively alleviate the impact of hails; The





- Oxidation resistant, tear resistant and UV resistant;
- Recyclable material, climate and plants friendly;
- Built-in perforation and lighter weight, making it is easy to install by pulling cords;
- Dense perforations can prevent small size hail from entering;
- Reinforced edges enhance the elastic strength of the net;
- Can resist up to 90% hail and wind.



Leno Woven Hail Netting

Leno woven hail netting, warp knitted net, square mesh, HDPE material. Color options: white, green, blue, black, etc.

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WH-L1		7 × 4 mm
WH-L2		7 × 3 mm
WH-L3		7 × 2.8 mm
WH-L4	0.25 mm	7 × 2.2 mm
WH-L5		8.5 × 2.9 mm
WH-L6		5.1 × 2.2 mm
WH-L7		3.5 × 2.2 mm



Raschel Drape Hail Netting

Raschel draper hail netting, warp knitted net, triangle mesh, HDPE material. Color options: white, green, blue, black, etc.

Sizes can be customized upon request.

Model	Weight	Mesh Size
WH-D1	60 g/m ²	6 × 1.8 mm
WH-D2	60 g/m ²	7 × 7mm
WH-D3	60 g/m ²	4.2 × 2 mm
WH-D4	65 g/m ²	$8.5 \times 2.5 \times 2 \text{ mm}$



Raschel Quad Crossover Knitted Hail Netting

Raschel quad crossover knitted hail netting, warp knitted net, diamond mesh, HDPE material. Color options: white, green, blue, black, etc.

Sizes can be customized upon request.

Model	Weight	Mesh Size
WH-Q1	55 g/m ²	8 mm
WH-Q2	55 g/m ²	12 mm
WH-Q3	55 g/m ²	16 mm
WH-Q4	55 g/m ²	20 mm



Raschel Anti Hail Netting Square Pattern

Raschel anti hail netting square pattern, warp knitted net, diamond mesh, HDPE material. Color options: white, green, blue, black, etc.

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WH-S1	55 g/m ²	4 × 6 mm
WH-S2	70 g/m²	5 × 4 mm




Raschel Anti Hail Netting Diamond Pattern

Raschel anti hail netting diamond pattern, warp knitted net, diamond mesh, HDPE material.

single color: white, green, blue, black, etc; double color: white & blue, white & green, white & black, white & purple, etc. Sizes can be customized upon request.

Model	Mesh Size	Weight
WH-R1	7 × 3 mm	40 g/m ²
WH-R2		50 g/m ²
WH-R3		55 g/m ²
WH-R4		60 g/m ²
WH-R5		70 g/m ²
WH-R6		75 g/m²







Clips for connection



Clips for net fixing



Net winter fix



Pins for net sewing



Caps for pole



Double hook for anti hail netting






Our anti bird nets are made of PE & PA materials with high tear resistance, heat resistance, corrosion resistance, anti-aging and easy to disposal features.





FEATURES

- Wear & tear resistant, high tensile strength;
- Made of High-quality nylon high-temperature dissolved yarns, high and low temperature resistant, long lifespan;
- Provide a moderate shade and create a favourable growing environment for plants;
- UV resistant, corrosion resistant, non-toxic and nonhazardous;
- Easy to install and adjust to desired size to meet various demands;
- Provide maximum crop protection without affecting birds and small animals. It will not interfere with plant growth and make sure these plants will not affected by fog, sunlight and humidity.



Knotty Nylon Monofilament Anti Bird Net

Anti bird net, knotty nylon monofilament material, square mesh.

Color options: transparent, black, green, orange, etc.

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
YB-KN1	0.08 mm	14 mm
YB-KN2	0.08 mm	20 mm
YB-KN3	0.11 mm	15 mm
YB-KN4	0.16 mm	15 mm



Light Weight Anti Bird Netting

Anti bird net, HDPE material, diamond mesh, warp knitted net. Color options: transparent, black, green, orange, etc.

Sizes can be customized upon request.

Model	Weight	Mesh Size
WB-LW1	50 g/m ²	10 × 10 mm
WB-LW2	50 g/m ²	15 × 15 mm
WB-LW3	50 g/m ²	20 × 20 mm
WB-LW4	50 g/m ²	25 × 25 mm
WB-LW5	50 g/m ²	30 × 30 mm



Heavy Duty Anti Bird Net Mesh

Anti bird net, HDPE material, knotted netting, square mesh. Color options: transparent, black, green, orange, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
YB-HD1	0.9 mm	40 × 40 mm
YB-HD2	0.9 mm	50 × 50 mm
YB-HD3	1.4 mm	40 × 40 mm
YB-HD4	1.4 mm	50 × 50 mm





Bird netting mounting clips




Bird net zippers



Our sun shade nets are made of UV resistant HDPE with corrosion resistance, moisture-proof, no water absorption and tear resistance features.


It has the functions of blocking light, rain, moisturizing and cooling for plants.





FEATURES

- HDPE, UV resistant;
- Waterproof, mildew and corrosion resistant;
- Reinforced edges offer higher tear resistance;
- 5 years and above life expectancy;
- Rigid, flexible and easy to install.




Flat Wire Sun Shade Net

Sun shade net, all flat wire design, HDPE materials, triangle mesh, warp knitted net. Color options: black, green, red, blue, white, etc.

Sizes can be customized upon request.

Model	Weight	Shading Rate
WS-F1	100 g/m ²	80%
WS-F2	80 g/m ²	75%
WS-F4	55 g/m²	50%




Round Wire Sun Shade Net

Sun shade net, all round wire design, HDPE materials, triangle mesh, warp knitted net. Color options: black, green, red, blue, white, etc.

Sizes can be customized upon request.

Model	Weight	Shading Rate
WS-R1	110 g/m ²	40%
WS-R2	145 g/m ²	60%
WS-R3	160 g/m ²	80%



Round-Flat Wire Sun Shade Net

Sun shade net, round-flat wire design, HDPE materials, triangle mesh, warp knitted net. Color options: black, green, red, blue, white, etc.

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WS-RF1	185 g/m²	95%






Round clip for shade net



Butterfly clip for shade net






used to harvest all kinds of

small fruits and nuts.





- HDPE material, UV resistant, wear resistant and long lifespan;
- It is non-toxic and complies with existing European food package regulations;
- Waterproof, moisture-proof, mildew resistant.



Triangle Olive Net


Olive net, HDPE materials, triangle mesh, warp knitted net. Color options: black, green, dark green, sandy, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WO-T1	92 g/m²	1 × 3 mm

Trellis Olive Net

Olive net, HDPE materials, square mesh, warp knitted net. Color options: black, green, dark green, sandy, etc. Sizes can be customized upon request.

Model	Weight	Mesh Size
WO-TO2	32 g/m ²	10 × 6 mm
WO-TO3	33 g/m ²	10 × 6 mm
WO-TO4	50 g/m ²	5 × 8 mm
WO-TO5	60 g/m ²	5 × 5 mm



Hexagonal Olive Net

Olive net, HDPE materials, hexagonal mesh, warp knitted net. Color options: black, green, dark green, sandy, etc. Sizes can be customized upon request.

Model	Weight	Mesh Size
WO-H1	35 g/m ²	5 × 8 mm
WO-H2	45 g/m ²	5 × 8 mm
WO-H3	55 g/m ²	5 × 8 mm













- Easy to cut and install;
- Soft net surface, no sharp edge;
- UV resistant, corrosion resistant, wear resistant, long lifespan.




Our plant climbing nets are made of UV

resistant PE, PP, PA and PET materials, featuring corrosion resistant, wear resistant,

gardens, vineyards, etc.

non-toxic, anti-aging and long lifespan. They

are suitable for vegetable gardens, orchards,



Knotted Plant Climbing Net

Plant climbing net, HDPE material, knotted netting, diamond mesh. Color options: black, green, red, white.

It can be customized upon request.

Model	Thread Diameter	Mesh Size
YP-K1	1.6 mm	10 cm × 10 cm
YP-K2	1.6 mm	13 cm × 13 cm
YP-K3	1.6 mm	15 cm × 15 cm
YP-K4	1.6 mm	15 cm × 17 cm
YP-K5	1.6 mm	20 cm × 20 cm




Knotless Plant Climbing Net

Plant climbing net, nylon material, knotless netting, diamond mesh. Color options: black, green, red, white.

It can be customized upon request.

Model	Thread Diameter	Mesh Size
WP-KP1	1.6 mm	10 cm × 10 cm
WP-KP2	1.6 mm	13 cm × 13 cm
WP-KP3	1.6 mm	15 cm × 15 cm
WP-KP4	1.6 mm	15 cm × 17 cm
WP-KP5	1.6 mm	20 cm × 20 cm




Molded Plant Climbing Net

Plant climbing net, PP, PE & PA available, diamond mesh. Color options: black, green, red, white.

It can be customized upon request.

Model	Weight	Mesh Size
WP-T1	8 g/m²	10 cm × 10 cm
WP-T2	8 g/m ²	13 cm × 13 cm
WP-T3	8 g/m ²	15 cm × 15 cm
WP-T4	8 g/m ²	15 cm × 17 cm
WP-T5	8 g/m ²	20 cm × 20 cm






straw and dry manure, waste plastics, etc.
They are mainly used in farms, grasslands, livestock farms and other places.

Good UV resistant and can withstand extreme weather conditions





Bale hay net

Bale hay net, HDPE material, warp knitted net, triangle mesh. Color options: transparent, white, red, green. Sizes can be customized upon request.

■ Common South American Sizes

Model	Thread Diameter	Mesh Size
WK-S1	8 g/m²	1.23 × 3000 m
WK-S2	8 g/m²	1.62 × 2135 m
WK-S3	8 g/m²	1.62 × 2148 m
WK-S4	8 g/m²	1.7 × 2135 m
WK-S5	9 g/m²	1.23 × 3000 m
WK-S6	9 g/m²	1.62 × 2135 m
WK-S7	9 g/m²	1.62 × 2148 m
WK-S8	9 g/m²	1.7 × 2135 m
WK-S9	10 g/m ²	1.23 × 3000 m
WK-S10	10 g/m ²	1.62 × 2135 m
WK-S11	10 g/m ²	1.62 × 2148 m
WK-S12	10 g/m ²	1.7 × 2135 m
WK-S13	13 g/m²	1.23 × 3000 m
WK-S14	13 g/m²	1.62 × 2135 m
WK-S15	13 g/m²	1.62 × 2148 m
WK-S16	13 g/m ²	1.7 × 2135 m

■ Common Japanese Sizes

Model	Thread Diameter	Mesh Size
WK-J1	8 g/m ²	0.75 × 1000 m
WK-J2	8 g/m ²	0.9 × 2000 m
WK-J3	8 g/m²	1.05 × 2000 m
WK-J4	8 g/m ²	1.2 × 2000 m
WK-J5	9 g/m²	0.75 × 1000 m
WK-J6	9 g/m²	0.9 × 2000 m
WK-J7	9 g/m²	1.05 × 2000 m
WK-J8	9 g/m²	1.2 × 2000 m
WK-J9	10 g/m ²	0.75 × 1000 m
WK-J10	10 g/m ²	0.9 × 2000 m
WK-J11	10 g/m ²	1.05 × 2000 m
WK-J12	10 g/m ²	1.2 × 2000 m
WK-J13	13 g/m ²	0.75 × 1000 m
WK-J14	13 g/m²	0.9 × 2000 m
WK-J15	13 g/m²	1.05 × 2000 m
WK-J16	13 g/m ²	1.2 × 2000 m

■ Common European Sizes

Model	Thread Diameter	Mesh Size
WK-E1	8 g/m²	1.05 × 3000 m
WK-E2	8 g/m ²	1.05 × 3600 m
WK-E3	8 g/m²	1.23 × 3000 m
WK-E4	8 g/m²	1.23 × 3600 m
WK-E5	9 g/m²	1.05 × 3000 m
WK-E6	9 g/m²	1.05 × 3600 m
WK-E7	9 g/m²	1.23 × 3000 m
WK-E8	9 g/m²	1.23 × 3600 m
WK-E9	10 g/m ²	1.05 × 3000 m
WK-E10	10 g/m ²	1.05 × 3600 m
WK-E11	10 g/m ²	1.23 × 3000 m
WK-E12	10 g/m ²	1.23 × 3600 m
WK-E13	13 g/m ²	1.05 × 3000 m
WK-E14	13 g/m²	1.05 × 3600 m
WK-E15	13 g/m ²	1.23 × 3000 m
WK-E16	13 g/m ²	1.23 × 3600 m









Our horse hay nets are made of PA, PP and PET materials with excellent UV resistance, wear resistance, corrosion resistance and exceptional durability.


It is suitable for breeding farms, individual horse farms, racecourses, equestrian clubs and similar places.

You may choose or customize the net types and sizes according to your needs.





- The small mesh design helps to avoid hay waste.
 It also prolongs the horse feeding time and facilitates the horse digestion and absorption to avoid stomach diseases; Besides, it also prevents horse from eating too much and causes horse obesity.
- The net features good wear resistance, nibbling resistance, UV resistance and long service life;
- Knotless design is more friendly to horse gums and mouth.




PP Knotless Horse Hay Net

PP knotless horse hay net, HDPE material, knotless, diamond mesh. Color options: black, white, green, blue, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WF-PF1	3 mm	30 mm
WF-PF2	3 mm	40 mm
WF-PF3	3 mm	50 mm
WF-PF4	3 mm	60 mm
WF-PF5	4 mm	30 mm
WF-PF6	4 mm	40 mm
WF-PF7	4 mm	50 mm
WF-PF8	4 mm	60 mm

Model	Thread Diameter	Mesh Size
WF-PF9	5 mm	30 mm
WF-PF10	5 mm	40 mm
WF-PF11	5 mm	50 mm
WF-PF12	5 mm	60 mm
WF-PF13	6 mm	30 mm
WF-PF14	6 mm	40 mm
WF-PF15	6 mm	50 mm
WF-PF16	6 mm	60 mm



PET Knotless Horse Hay Net

PET knotless horse hay net, PET material, knotless, square mesh. Color options: black, white, green, blue, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WF-EF1	3 mm	30 mm
WF-EF2	3 mm	40 mm
WF-EF3	3 mm	50 mm
WF-EF4	3 mm	60 mm
WF-EF5	4 mm	30 mm
WF-EF6	4 mm	40 mm
WF-EF7	4 mm	50 mm
WF-EF8	4 mm	60 mm

Model	Thread Diameter	Mesh Size
WF-EF9	5 mm	30 mm
WF-EF10	5 mm	40 mm
WF-EF11	5 mm	50 mm
WF-EF12	5 mm	60 mm
WF-EF13	6 mm	30 mm
WF-EF14	6 mm	40 mm
WF-EF15	6 mm	50 mm
WF-EF16	6 mm	60 mm




Nylon Knotless Horse Hay Net

Nylon knotless horse hay net, nylon material, knotless, diamond mesh. Color options: black, white, green, blue, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WF-NF1	3 mm	30 mm
WF-NF2	3 mm	40 mm
WF-NF3	3 mm	50 mm
WF-NF4	3 mm	60 mm
WF-NF5	4 mm	30 mm
WF-NF6	4 mm	40 mm
WF-NF7	4 mm	50 mm
WF-NF8	4 mm	60 mm

Model	Thread Diameter	Mesh Size
WF-NF9	5 mm	30 mm
WF-NF10	5 mm	40 mm
WF-NF11	5 mm	50 mm
WF-NF12	5 mm	60 mm
WF-NF13	6 mm	30 mm
WF-NF14	6 mm	40 mm
WF-NF15	6 mm	50 mm
WF-NF16	6 mm	60 mm





Agricultural Nets // Cargo Net

Our cargo nets are made of PA, PE, PET and PP materials, featuring good wear & corrosion resistant, UV resistant, waterproof, non-toxic, odorless, safe & reliable, easy installation, etc.

It is suitable for fixing goods on trucks, and pickups and collecting and stabilizing items on SUVs.


You may choose or customize the net types and sizes according to your needs.







- High quality PP, PE, PET and nylon raw materials, waterproof, UV resistant and durable;
- Hooks or ropes can be used for simple and easy installation and fixing;
- Non-toxic material, no pungent odor, you can use it without worry;
- It can be used to secure goods or other items need fixing to keep them safe and stable.



PE Knotless Cargo Net

PE knotless cargo net, PE material, knotless, diamond mesh. Color options: green, black, white, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WC-EC1	3 mm	5 cm × 5 cm
WC-EC2	3 mm	6 cm × 6 cm
WC-EC3	4 mm	5 cm × 5 cm
WC-EC4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
WC-EC5	5 mm	5 cm × 5 cm
WC-EC6	5 mm	6 cm × 6 cm
WC-EC7	6 mm	5 cm × 5 cm
WC-EC8	6 mm	6 cm × 6 cm



PP Knotless Cargo Net

PP knotless cargo net, PP material, knotless, diamond mesh. Color options: green, black, white, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WC-PC1	3 mm	5 cm × 5 cm
WC-PC2	3 mm	6 cm × 6 cm
WC-PC3	4 mm	5 cm × 5 cm
WC-PC4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
WC-PC5	5 mm	5 cm × 5 cm
WC-PC6	5 mm	6 cm × 6 cm
WC-PC7	6 mm	5 cm × 5 cm
WC-PC8	6 mm	6 cm × 6 cm



PET Knotless Cargo Net

PET knotless cargo net, PET material, knotless, diamond mesh. Color options: green, black, white, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WC-TC1	3 mm	5 cm × 5 cm
WC-TC2	3 mm	6 cm × 6 cm
WC-TC3	4 mm	5 cm × 5 cm
WC-TC4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
WC-TC5	5 mm	5 cm × 5 cm
WC-TC6	5 mm	6 cm × 6 cm
WC-TC7	6 mm	5 cm × 5 cm
WC-TC8	6 mm	6 cm × 6 cm



Nylon Knotless Cargo Net

Nylon knotless cargo net, nylon material, knotless, diamond mesh. Color options: green, black, white, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WC-NC1	3 mm	5 cm × 5 cm
WC-NC2	3 mm	6 cm × 6 cm
WC-NC3	4 mm	5 cm × 5 cm
WC-NC4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
WC-NC5	5 mm	5 cm × 5 cm
WC-NC6	5 mm	6 cm × 6 cm
WC-NC7	6 mm	5 cm × 5 cm
WC-NC8	6 mm	6 cm × 6 cm



Accessories



Trailer net hook



Stainless steel snap hook



Our windbreak nets are made of PE and PET materials, featuring high tear resistant, UV resistant and long service life in outdoors. In addition, the net comes with metal grommets, which makes the installation easy and simple; Its mesh structure reduces the light transmittance and can provide additional privacy protection and shade area.

It is suitable for protecting plants, trees or crops from wind, or being used in sports areas like tennis fields as well as coal storage yards, coking plants and other dusty areas for wind reduction


You may choose or customize the net types and sizes according to your needs.








- The net is made of sturdy, UV-treated HDPE, which allows the net to be used in various growing seasons continuously without tearing;
- The net comes with metal grommets, you may use pins, clamps or tie wires for easy installation;
- The mesh structure offers a shade area and can provide additional privacy protection when being placed against fences or existing privacy barrier.





PE Round Wire Warp Knitted Net

PE round wire warp knitted net, PE material, warp knitted. Color options: green, blue, black, etc. Sizes can be customized upon request.


Model	Weight
WW-PW1	60 g/m²
WW-PW2	80 g/m ²
WW-PW3	110 g/m ²
WW-PW4	220 g/m²



PE Flat Wire Warp Knitted Net

PE flat wire warp knitted net, PE material, warp knitted. Color options: green, blue, black, etc. Sizes can be customized upon request.


Model	Weight
WW-EW1	60 g/m²
WW-EW2	80 g/m ²
WW-EW3	110 g/m ²
WW-EW4	220 g/m ²



Flexible Windbreak Net

Flexible windbreak net, PE material, knotless, hexagonal mesh. Color options: green, blue, black, etc. Sizes can be customized upon request.

Model	Weight
WW-FW1	300 g/m ²
WW-FW2	400 g/m ²
WW-FW3	500 g/m ²



PET Windbreak Net

PET windbreak net, PET material. Color options: green, blue, black, etc. Sizes can be customized upon request.

Model	Weight
WW-TW1	400 g/m ²

Accessories



Self locking nylon cable tie



Windbreak net zipper




Metal snap hook



Our sun shade sails are made of HDPE materials with flame retardant, anti-aging, high shading rate, fashionable & beautiful net surface, easy to install features.

It is suitable for home swimming pools, balconies, carports, parks communities, etc.





- Easy to install. You may create a good decoration effect as long as you pull the rope;
- Fashionable. It is a standard configuration in European and American yards;
- Space comfort. You may customize any size you want;
- Sun shade. It blocks sunlight, keep people stay cool and not fear of the hot sun and block most of UV rays;
- Smooth net surface. The net surface is smooth and flat, highlighting its beauty and fashion;
- Flame retardant and anti-aging. New HDPE material, 3–5 years service life and added with 3% UV additives.


Product Series & Basic Information


Sun shade sail, HDPE material, warp knitted net. Color options: white, beige, red, green, black, etc.




Model	Size (m)	Weight (g/m²)
W-Z1	2 × 3	130
W-Z2	3 × 4	130
W-Z3	3 × 5	130
W-Z4	3 × 6	130
W-Z5	4 × 5	130
W-Z6	4 × 6	130
W-Z7	5 × 6	130
W-Z8	3 × 3	130
W-Z9	4 × 4	130
W-Z10	5 × 5	130
W-Z11	6 × 6	180
W-Z12	2 × 3	180
W-Z13	3 × 3.6	180
W-Z14	3 × 4	180
W-Z15	3 × 5	180

Model	Size (m)	Weight (g/m²)
W-Z16	4 × 3.4	180
W-Z17	4 × 4.5	180
W-Z18	4 × 5	180
W-Z19	4 × 6	180
W-Z20	5 × 6	180
W-Z21	3 × 3	180
W-Z22	3.5×3.5	180
W-Z23	3.6×3.6	180
W-Z24	4 × 4	180
W-Z25	5 × 5	180
W-Z26	6 × 6	180
W-Z27	$3 \times 3 \times 3$	180
W-Z28	$3.6 \times 3.6 \times 3.6$	180
W-Z29	$5.4 \times 5.4 \times 5.4$	180
W-Z30	$6.5 \times 6.5 \times 6.5$	180









Diamond door buckle

4 nails can be used to fix the diamond door buckle on the wall and other solid structures. It can be connected with turnbuckles and screw buckles to secure the sun shade sail, forming tension.



It is used to connect the D shape ring on the sun shade sail and provide tension.



Stainless steel spring buckle

Open the clasp hook and connect with the D shape ring on the sun shade sail and lock.



PE rope for sun shade sail, firm and practical, not easy to break.



Plastic expansion screw It is used to fix diamond door buckle.




Our loft nets are made of high quality PA, PET and PP materials, featuring non-toxic, UV & corrosion resistant, good wear & tear resistant, high load bearing capacity, reusable and easy cleaning.

It is suitable for hotels, homes, amusement parks, youth hostels, etc. Its fun design creates an unexpected relaxing and resting environment for all kind of places.





- Knotless netting is suitable for horizontal installation, to make it more comfortable while knotted netting is suitable for vertical installation;
- 210 kg/m2 load bearing capacity, safer and more reliable;
- High quality PET, nylon and PP raw material, corrosion resistant, UV resistant and durable;
- 6–10 mm tie rope ensures the loft net is safe enough;
- Various colors are available, which makes it more suitable for matching with interior designs.



Nylon Knotless Loft Net

Nylon knotless loft net, nylon material, knotless, diamond mesh. Color options: black, white, green, red, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WH-NH1	3mm	5cm × 5cm
WH-NH2	3mm	6cm × 6cm
WH-NH3	4mm	5cm × 5cm
WH-NH4	4mm	6cm × 6cm

Model	Thread Diameter	Mesh Size
WH-NH5	5mm	5cm × 5cm
WH-NH6	5mm	6cm × 6cm
WH-NH7	6mm	5cm × 5cm
WH-NH8	6mm	6cm × 6cm




PET Knotless Loft Net

PET knotless loft net, square mesh, PET material, knotless. Color options: black, white, green, red, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WH-TH1	3 mm	5 cm × 5 cm
WH-TH2	3 mm	6 cm × 6 cm
WH-TH3	4 mm	5 cm × 5 cm
WH-TH4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
WH-TH5	5 mm	5 cm × 5 cm
WH-TH6	5 mm	6 cm × 6 cm
WH-TH7	6 mm	5 cm × 5 cm
WH-TH8	6 mm	6 cm × 6 cm




PP Knotless Loft Net

PP knotless loft net, PP material, knotless, diamond mesh. Color options: black, white, green, red, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WH-PH1	3 mm	5 cm × 5 cm
WH-PH2	3 mm	6 cm × 6 cm
WH-PH3	4 mm	5 cm × 5 cm
WH-PH4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
WH-PH5	5 mm	5 cm × 5 cm
WH-PH6	5 mm	6 cm × 6 cm
WH-PH7	6 mm	5 cm × 5 cm
WH-PH8	6 mm	6 cm × 6 cm



Nylon Knotted Loft Net

Nylon knotted loft net, nylon material, knotted, diamond mesh. Color options: black, white, green, red, etc. Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
YH-KH1	3 mm	5 cm × 5 cm
YH-KH2	3 mm	6 cm × 6 cm
YH-KH3	4 mm	5 cm × 5 cm
YH-KH4	4 mm	6 cm × 6 cm

Model	Thread Diameter	Mesh Size
YH-KH5	5 mm	5 cm × 5 cm
YH-KH6	5 mm	6 cm × 6 cm
YH-KH7	6 mm	5 cm × 5 cm
YH-KH8	6 mm	6 cm × 6 cm



Accessories



Stainless steel eye screw



Stainless steel A4 eye plate-with screws



Stainless steel rigging screw



PP tension rope



D-shackle A4 stainless steel


Construction Nets //

Construction Safety Nets

Our construction safety
nets are made of PA, PET
and PP materials with good
wear resistance, corrosion
resistance, high breaking
strength, good elasticity and
can withstand and relieve the
impact of heavy loads.


Our products comply with OSHA 1926.105 requirements and EN 1263-1 standards and are suitable for building construction, solar panel installation, new roof construction, roof renovation, roof maintenance, etc.







- Non-toxic material and will not cause damage when in contact with the human mouth and eyes;
- It has excellent weather resistance and UV resistance and is suitable for both indoor and outdoor uses;
- It has high breaking strength and can withstand heavy load impacts;
- The net surface is elastic and has an effective cushioning effect and absorb the impact of falling, thus guaranteeing the safety of construction personnel.



Nylon Knotted Netting

Construction safety net, nylon material, diamond mesh, knotted netting. Color options: white, blue, green, red, etc.

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
YJ-NK1	4.75 mm	45 mm
YJ-NK2	4.75 mm	60 mm
YJ-NK3	4.75 mm	100 mm




PET Knotless Netting

Construction safety net, PET material, diamond mesh, knotless netting. Color options: white, blue, green, red, etc.

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WJ-PK1	5 mm	45 mm
WJ-PK2	5 mm	60 mm
WJ-PK3	5 mm	100 mm



PP Knotless Netting

Sizes can be customized upon request.

Model	Thread Diameter	Mesh Size
WJ-PP1	5 mm	45 mm
WJ-PP2	5 mm	60 mm
WJ-PP3	5 mm	100 mm



Accessories



Suspension ropes



Thimble hooks



Safety snap hooks



Ropes



Safety net hook

MADE-TO-ORDER

No matter you need anti bird net, anti hail net, construction safety nets, sports net or fishing net, you can always get what you want from Yeqin Knitted Net. We have the full capacity to provide you with best solutions in R&D, design and production aspects. We will communicate with our customers about product details and working conditions and turn their design idea into reality. Finally, we will provide custom rope netting products with reliable functions and perfectly suit to the actual working environments.



Material Customization

PA

Material Customization

High strength, good wear resistant and excellent resistant to deformation and aging, suitable for producing construction safety nets, fishing nets, badminton nets and anti bird nets, etc.



Material Customization

Not easy to absorb water, high breaking strength, high impact resistant and suitable for sports perimeter nets, basketball nets, etc.

PE

Material Customization

Good wear resistant, high corrosion resistant, flexible and good product performance stability, wide range of applications, for example, football nets, tennis nets, sun shade nets, cage nets and construction safety nets.

PP

Material Customization

Good elasticity, and can be bent repeatedly, good fatigue resistant and suitable for football nets, golf nets, hockey nets, etc.

Finish













Sample-Based Customization

If you have samples, you may send them to us. We have rich experience and expertise in producing construction safety nets, fishing nets and sports nets. In addition, we are familiar with all kinds of rope netting methods and structure and can produce the same and even better rope netting products based on samples.

Our goal is to provide our customers with best custom rope netting solutions within limited time frame.

Contact us, we will provide you with best rope netting solutions and make your own rope netting products.


Co-Design

In R&D and design aspects, we follow the principle of co-design, aiming to develop rope netting products with higher performance and more suitable for practical applications.

We would highly appreciate it if you would like to provide the following information to our R&D team.

- Your existing rope net types and materials;
- Rope netting working environments;
- Your existing problems;
- Rope netting installation drawings.







Anping Yeqin Knitted Net Co., Ltd.

Address: Chengdong Industrial Park, Anping County, Hebei Province

Mobile: +86-19903182158 WhatsApp: +86-19903182158 E-mail: info@yeachin.com





